

Prepared for:
La Dona Cervceria
241 Freemont Ave. North, B
Minneapolis, MN USA 55405

Huckleberry Can #3

Batch ID or Lot Number: #3-batch 1	Test: Potency	Reported: 17Nov2022	USDA License: N/A
Matrix: Unit	Test ID: T000227923	Started: 15Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Nov2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.199	0.621	ND	ND	# of Servings = 1, Sample Weight=479g
Cannabichromenic Acid (CBCA)	0.182	0.568	ND	ND	
Cannabidiol (CBD)	0.509	1.774	ND	ND	
Cannabidiolic Acid (CBDA)	0.522	1.819	ND	ND	
Cannabidivarin (CBDV)	0.120	0.420	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.218	0.759	ND	ND	
Cannabigerol (CBG)	0.113	0.352	ND	ND	
Cannabigerolic Acid (CBGA)	0.472	1.473	ND	ND	
Cannabinol (CBN)	0.147	0.460	ND	ND	
Cannabinolic Acid (CBNA)	0.322	1.005	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.562	1.755	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.510	1.594	4.580	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.452	1.412	ND	ND	
Tetrahydrocannabivarin (THCV)	0.103	0.321	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.399	1.246	ND	ND	
Total Cannabinoids			4.580	0.00	
Total Potential THC			4.580	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
17Nov2022
12:35:00 PM MST

PREPARED BY / DATE



Sam Smith
17Nov2022
12:36:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/8f19879a-be06-4857-8618-25e0eaced7e>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
8f19879abe064857861825e0eaced7e.1