

Red Zone

Sample ID: 25183
 Strain: Red Zone
 Matrix: Concentrates & Extracts
 Type: Vape
 Sample Size: ; Batch:

Produced:
 Collected:
 Received:
 Completed: 02/24/2026
 Batch#:

Client
Boujee



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | | Complete |
| Heavy Metals | | Pass |
| Microbials | | Pass |
| Mycotoxins | | Pass |
| GCMS Pesticides | | Pass |
| LCMS Pesticides | | Pass |
| Residual Solvents | | Pass |

Cannabinoids

Complete

| | | |
|--------------------------|------------------------|--------------------------------------|
| 0.1167% Δ9-THC | 0.1426% THCa | 59.674% Total Cannabinoids |
|--------------------------|------------------------|--------------------------------------|

| Analyte | LOQ | LOD | Result | Result |
|------------------|--------|--------|----------------|---------------|
| | % | % | mg/g | % |
| CBC | 0.0025 | 0.0009 | ND | ND |
| CBD | 0.0050 | 0.0025 | 23.614 | 2.3614 |
| CBDa | 0.0050 | 0.0019 | ND | ND |
| CBG | 0.0050 | 0.0025 | 11.527 | 1.1527 |
| CBN | 0.0025 | 0.0009 | 6.613 | 0.6613 |
| Δ8-THC | 0.0050 | 0.0019 | 552.572 | 55.2572 |
| Δ9-THC | 0.0050 | 0.0019 | 1.167 | 0.1167 |
| THCa | 0.0025 | 0.0013 | 1.426 | 0.1426 |
| THCV | 0.0050 | 0.0025 | ND | ND |
| Total THC | | | 2.418 | 0.242 |
| Total CBD | | | 23.614 | 2.361 |
| Total CBG | | | 11.527 | 1.153 |
| Total | | | 596.744 | 59.674 |

EXCELBIS

Date Tested:

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
 Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
 Cannabinoids: HPLC, SOP-004
 Water Activity: Water Activity Meter, SOP-012
 Moisture Content: Moisture Analyzer, SOP-011
 Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
 ISO/IEC 17025:2017

Scott A. Pol



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Red Zone

| | | |
|---------------------------------|-----------------------|---------------|
| Sample ID: 25183 | Produced: | Client |
| Strain: Red Zone | Collected: | Boujee |
| Matrix: Concentrates & Extracts | Received: | |
| Type: Vape | Completed: 02/24/2026 | |
| Sample Size: ; Batch: | Batch#: | |

GC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|--------------------------------------|-------|-------|-------|-------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Captan | 0.054 | 0.097 | 0.7 | ND | Pass |
| Chlordane (trans + cis) | 0.058 | 0.098 | 0.058 | ND | Pass |
| Chlorfenapyr | 0.056 | 0.097 | 0.056 | ND | Pass |
| Cyfluthrin | 0.052 | 0.097 | 2 | ND | Pass |
| Cypermethrin | 0.054 | 0.097 | 1 | ND | Pass |
| Parathion Methyl | 0.039 | 0.097 | 0.039 | ND | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1 | ND | Pass |

Mycotoxins

Pass

| Analytes | LOD | LOQ | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin B2 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin G1 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin G2 | 4.0000 | 5.0000 | | ND | Tested |
| Ochratoxin A | 10.0000 | 16.0000 | 20 | ND | Pass |
| Total Aflatoxins | | | 20 | ND | Pass |

Microbials

Pass

| Analyte | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
| | RFU/g | RFU/g | |
| Aspergillus flavus | 0 | Not Detected | Pass |
| Aspergillus fumigatus | 0 | Not Detected | Pass |
| Aspergillus niger | 0 | Not Detected | Pass |
| Aspergillus terreus | 0 | Not Detected | Pass |
| Shiga toxin-producing E. Coli | 0 | Not Detected | Pass |
| Salmonella SPP | 0 | Not Detected | Pass |

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.0150 | 0.05 | 0.2 | ND | Pass |
| Cadmium | 0.0113 | 0.05 | 0.2 | ND | Pass |
| Lead | 0.00615 | 0.05 | 0.5 | ND | Pass |
| Mercury | 0.00126 | 0.005 | 0.1 | ND | Pass |

GCMS Date Tested:
Pesticides: GC-MS/MS, GCMS Method SOP-006
LCMS Date Tested:
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested:
Microbials Footnote: Microbial: SOP-010
RFU = Relative Fluorescence Units
Heavy Metals Date Tested:
Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Pol



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Red Zone

Sample ID: 25183 Produced: Client
 Strain: Red Zone Collected: Boujee
 Matrix: Concentrates & Extracts Received:
 Type: Vape Completed: 02/24/2026
 Sample Size: ; Batch: Batch#:

LC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---|--------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.043 | 0.097 | 0.1 | ND | Pass | Imazalil | 0.029 | 0.097 | 0.029 | ND | Pass |
| Acephate | 0.019 | 0.097 | 0.1 | ND | Pass | Imidacloprid | 0.021 | 0.097 | 5 | ND | Pass |
| Acequinocyl | 0.031 | 0.097 | 0.1 | ND | Pass | Kresoxim Methyl | 0.045 | 0.097 | 0.1 | ND | Pass |
| Acetamiprid | 0.023 | 0.097 | 0.1 | ND | Pass | Malathion | 0.027 | 0.097 | 0.5 | ND | Pass |
| Aldicarb | 0.029 | 0.097 | 0.029 | ND | Pass | Metalaxyl | 0.029 | 0.097 | 2 | ND | Pass |
| Azoxystrobin | 0.025 | 0.097 | 0.1 | ND | Pass | Methiocarb | 0.029 | 0.097 | 0.029 | ND | Pass |
| Bifenazate | 0.031 | 0.097 | 0.1 | ND | Pass | Methomyl | 0.029 | 0.097 | 1 | ND | Pass |
| Bifenthrin | 0.033 | 0.097 | 3 | ND | Pass | Mevinphos | 0.033 | 0.1 | 0.033 | ND | Pass |
| Boscalid | 0.021 | 0.097 | 0.1 | ND | Pass | Myclobutanil | 0.047 | 0.097 | 0.1 | ND | Pass |
| Carbaryl | 0.025 | 0.097 | 0.5 | ND | Pass | Naled | 0.033 | 0.097 | 0.1 | ND | Pass |
| Carbofuran | 0.033 | 0.097 | 0.033 | ND | Pass | Oxamyl | 0.021 | 0.097 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.025 | 0.097 | 10 | ND | Pass | Pacllobutrazol | 0.027 | 0.097 | 0.027 | ND | Pass |
| Chlorpyrifos | 0.019 | 0.097 | 0.019 | ND | Pass | Permethrin (trans + cis) | 0.033 | 0.1 | 0.5 | ND | Pass |
| Clofentezine | 0.035 | 0.097 | 0.1 | ND | Pass | Phosmet | 0.051 | 0.097 | 0.1 | ND | Pass |
| Coumaphos | 0.039 | 0.097 | 0.039 | ND | Pass | Piperonyl Butoxide | 0.037 | 0.097 | 3 | ND | Pass |
| Daminozide | 0.019 | 0.097 | 0.019 | ND | Pass | Prallethrin | 0.047 | 0.097 | 0.1 | ND | Pass |
| Diazinon | 0.031 | 0.097 | 0.1 | ND | Pass | Propiconazole | 0.023 | 0.097 | 0.1 | ND | Pass |
| Dichlorvos | 0.06 | 0.097 | 0.06 | ND | Pass | Propoxur | 0.027 | 0.097 | 0.027 | ND | Pass |
| Dimethoate | 0.027 | 0.097 | 0.027 | ND | Pass | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5 | ND | Pass |
| Dimethomorph (I + II) | 0.033 | 0.1 | 2 | ND | Pass | Pyridaben | 0.021 | 0.097 | 0.1 | ND | Pass |
| Ethoprophos | 0.023 | 0.097 | 0.023 | ND | Pass | Spinetoram (J + L) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etofenprox | 0.041 | 0.097 | 0.041 | ND | Pass | Spinosyn (A + D) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etoxazole | 0.027 | 0.097 | 0.1 | ND | Pass | Spiromesifen | 0.047 | 0.097 | 0.1 | ND | Pass |
| Fenhexamid | 0.031 | 0.097 | 0.1 | ND | Pass | Spirotetramat | 0.019 | 0.097 | 0.1 | ND | Pass |
| Fenoxycarb | 0.041 | 0.097 | 0.041 | ND | Pass | Spiroxamine | 0.025 | 0.097 | 0.025 | ND | Pass |
| Fenpyroximate | 0.023 | 0.097 | 0.1 | ND | Pass | Tebuconazole | 0.027 | 0.097 | 0.1 | ND | Pass |
| Fipronil | 0.037 | 0.097 | 0.037 | ND | Pass | Thiacloprid | 0.033 | 0.097 | 0.033 | ND | Pass |
| Flonicamid | 0.039 | 0.097 | 0.1 | ND | Pass | Thiamethoxam | 0.027 | 0.097 | 5 | ND | Pass |
| Fludioxonil | 0.029 | 0.097 | 0.1 | ND | Pass | Trifloxystrobin | 0.037 | 0.097 | 0.1 | ND | Pass |
| Hexythiazox | 0.043 | 0.097 | 0.1 | ND | Pass | | | | | | |



LCMS Date Tested:
 Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081
 ISO/IEC 17025:2017

Scott A. Pol



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

Red Zone

| | | |
|---------------------------------|-----------------------|---------------|
| Sample ID: 25183 | Produced: | Client |
| Strain: Red Zone | Collected: | Boujee |
| Matrix: Concentrates & Extracts | Received: | |
| Type: Vape | Completed: 02/24/2026 | |
| Sample Size: ; Batch: | Batch#: | |

Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 15.4688 | 46.875 | 5000 | ND | Pass |
| Acetonitrile | 15.4688 | 46.875 | 410 | ND | Pass |
| Benzene | 0.1547 | 0.4688 | 1 | ND | Pass |
| Butane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Chloroform | 0.1547 | 0.4688 | 1 | ND | Pass |
| 1, 2-Dichloroethane | 0.1547 | 0.4688 | 1 | ND | Pass |
| Ethanol | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethyl Acetate | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethyl Ether | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethylene Oxide | 0.1547 | 0.4688 | 1 | ND | Pass |
| Heptane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Hexane | 15.4688 | 46.875 | 290 | ND | Pass |
| Isopropyl Alcohol | 15.4688 | 46.875 | 5000 | ND | Pass |
| Methanol | 15.4688 | 46.875 | 3000 | ND | Pass |
| Methylene Chloride | 0.1547 | 0.4688 | 1 | ND | Pass |
| Pentane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Propane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Toluene | 15.4688 | 46.875 | 890 | ND | Pass |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170 | ND | Pass |
| Trichloroethylene | 0.1547 | 0.4688 | 1 | ND | Pass |

EXCELBIS
LABS

Date Tested:
Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Pol



confident

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.